

LEGEND:




= FIRE HYDRANT




= BLUE PAVEMENT MARKER


**FIGURE 1
TWO LANE STREET**




**FIGURE 2
MULTI - LANE STREET**




**FIGURE 3
AN INTERSECTION**




**FIGURE 4
FOUR LANE STREET WITH TURN LANE
AT INTERSECTION**



**FIGURE 5
MULTI - LANE STREET
WITH TURN LANE**



**FIGURE 6
FREEWAYS AND EXPRESSWAYS**



**TYPICAL HYDRANT MARKER
LOCATION**



[Signature]


APPROVED BY:

DATE : JUNE 30, 2006


DWG.

2E-1


TYPICAL ROAD LANE CLOSURE




TYPICAL BIKE LANE CLOSURE



TYPICAL RIGHT LANE CLOSURE WITH BIKE LANE



TYPICAL SHOULDER CLOSURE



SOP FOR RIGHT LANE AND BIKE LANE CLOSURES




APPROVED BY: *[Signature]*


DATE : JUNE 30, 2006

DWG.

3E-2



FRONT



BACK

R81 SIGN DETAIL




Maureen A. Roe
APPROVED BY:


DATE : JUNE 30, 2006
REVISED : SEPT 2007

DWG.

4E-1



BACK



FRONT

COMBINATION R26/R81 SIGN




[Signature]
APPROVED BY:


DATE : JUNE 30, 2006

DWG.

4E-2



FRONT



BACK

G93 SIGN DETAIL




[Signature]
APPROVED BY:


DATE : JUNE 30, 2006

DWG.

4E-3



BACK



FRONT

COMBINATION R26/G93 SIGN



Bentley
APPROVED BY:

DATE : JUNE 30, 2006

DWG.

4E-4


STREET NAME SIGN BRACKET
HAWKINS & HAWKINS CO.
HS-2C4P OR EQUAL

NAME

REFLECTORIZED
STREET NAME SIGN


TRAFFIC SIGNS

FINISH BACK OF
FOUNDATION
ROUND OR
SQUARE




BACK OF
SIDEWALK


PLAN
LOCATION "B"




BRACKET DETAIL



SECTION
LOCATION "A"




SECTION
LOCATION "B"



SIGN LOCATION "A"
COMMERCIAL, INDUSTRIAL, 6'-1"
OR GREATER MONOLITHIC SIDEWALK

CURB RAD.	A.
31'	21'
41'	24'
51'	27'



SIGN LOCATION "B"
LESS THAN 6'-1" WIDE
MONOLITHIC SIDEWALK

SIGNS: PRIVATE = WHITE ON BLUE
CITY = WHITE ON GREEN

LETTERING: STREET NAME - 4" "B" SERIES (USDOT FHWA STD.).
FOR STREET TYPE (e.g. "AVE", "ROAD", ETC.) USE 2" SERIES.






STREET NAME SIGNS



APPROVED BY: *[Signature]*

DATE : MAY 15, 2006
REV. DATE:

DWG. **5E**



- (A) W3 MAY REPLACE THE W5. ENGINEER SHALL DETERMINE SPEED FOR W6 SIGN.
- (B) ENGINEER SHALL DETERMINE SPEED LIMIT.
- (C) DISTANCE BETWEEN MULTI-WORD LEGENDS LENGTH (L) IN FT. = SPEED LIMIT

NOTE:

SEE CALTRANS TRAFFIC MANUAL FOR SIGN TYPES AND LETTERING SIZE.

**PAVEMENT LEGENDS:
SPEED ADVISORY**




[Signature]
APPROVED BY:

DATE : MAY 19, 2006
REV. DATE:

DWG.

8E



**FIRE ACCESS,
NO PARKING IN DRIVEWAY**



Brian Kegan
APPROVED BY:

DATE : JUNE 30, 2006

DWG.

11E